



**WORKMAN® HD SERIES**  
UTILITY VEHICLES



Tougher than your toughest job.

WORKMAN® HDX AUTO

NO SHIFTING. NO SACRIFICES. **NO NONSENSE.**



Now you can get the power, versatility and reliability you'd expect from a Toro® Heavy-Duty Workman® with something you wouldn't expect: an automatic transmission. With the Workman HDX Auto, there's no clutch, no shifting and no sacrifices. Forget about training operators how to drive a manual transmission, or tyres slipping as you let out the clutch. The combination of a powerful 28 hp (20.9 kW) Kohler® EFI twin-cylinder engine with a transmission that's calibrated to deliver peak power at any speed makes this the most efficient power delivery system on the market.



#### » UNIQUE SPEED CONTROL

Toro's proprietary SpeedContr'l™ makes it easy for operators to maintain consistent speed over rolling fairways and hills, ensuring accurate rates when you're topdressing and spraying even as ground speed varies.

#### » HANDLE CHALLENGING TERRAIN WITH EASE

You can go from zero to climbing the toughest terrain effortlessly, even with a fully loaded ProPass™ 200 top dresser or Multi Pro™ WM sprayer.

WORKMAN® HD SERIES

# MEET THE TORO WORKMAN.



**TOUGHER.  
STRONGER.  
BETTER.**

You can't get more hauling capacity, versatility, or value than you can with a Toro Heavy-Duty Workman. With an I-beam axle that's seven times stronger than a tubular design, a bed that hauls up to 3,352 pounds (1,520 kg), and an electronic fuel-injected engine that makes every litre go farther, it's the highest performing utility vehicle on the market today.

## SOLID FOUNDATION

The Workman is engineered with a truss-like front frame for superior strength and rigidity, and a C-channel rear frame design for unsurpassed performance in hauling heavy loads.

## COMFORTABLE RIDE

Because a comfortable operator is a more productive operator, the Workman is engineered to deliver a smoother, safer ride. It's built with a true independent front suspension with opposing dual coil springs and dual shock absorbers.

## PRECISION WHEEL BEARINGS


The most advanced integrated wheel bearing technology ensures the Workman keeps on rolling under the heaviest loads, day after day, job after job.

## INCREDIBLE STOPPING POWER

A fully-loaded Workman can build up a lot of momentum. Thanks to 4-wheel hydraulic disc brakes, there is significantly better control and stopping power. Not only do hydraulic disc brakes provide a safer ride, they are easier to service than traditional drum brakes.

## UNMATCHED TOUGHNESS

The Workman gets its remarkable strength from a rear DeDion axle built with the same kind of I-beam design used in skyscrapers, along with dual independent leaf springs and shock absorbers. It gives Workman HD vehicles superior vertical loading capacity by isolating the engine, transmission and main frame from all load forces, improving durability.



# A THOROUGHBRED WORKHORSE



## » FUEL-INJECTED POWER

Built with a powerful 32.5 horsepower (24.2 kW) electronic fuel injection (EFI) engine, the Workman HD shifts your productivity into high gear with instant cold weather starting, smoother throttle response and onboard diagnostics for quick troubleshooting.

## » ALL-INCLUSIVE INSTRUMENTATION

The easy-to-read instrument panel includes fuel and temperature gauges, an hour meter, and warning lights for oil pressure, check engine and battery charge. A tachometer and speedometer are also standard on all liquid-cooled models.

The Toro Workman is more than the industry's toughest utility vehicle. From the ground up, it was engineered to be smarter, more efficient and easier to operate. All with one goal in mind, to raise your productivity to new heights.



#### **MORE CAPACITY AND PRODUCTIVITY**

The Workman's maximum capacity of 3,352 pounds (1,520 kg) means it's up to almost any challenge.

#### **NO SLIPS OR SLIDES**

The Workman is available with an on-demand four-wheel drive system that delivers surefooted traction in forward and reverse, without damaging turf.



# HIGHLY PRODUCTIVE WORK ATTACHMENTS AND ACCESSORIES.



The Workman rises to any challenge, no matter how tough the job. You can transform it in minutes with a 200-gallon (757 litre) sprayer, Vicon® spreader, a topdresser and more.\* Choose from a wide range of attachments and accessories featured here and online at [TORO.COM](https://www.toro.com).

*\*Trademarks are property of respective owners.*



### » MULTI PRO® WORKMAN

Turns your Workman into a highly-efficient, precision sprayer with a 200 gallon (757 litre) tank, 3-section 18 1/2' (5.6 m) open boom system and a diaphragm pump.

*\*4-Post ROPS Required*



### WORKMAN HD WITH THE PROPASS™ 200 TOPDRESSER

Delivers unsurpassed versatility in topdressing, with a wireless model that lets you make adjustments in real time. Available in bed mounted or trailer versions.



### » DELUXE HARD CAB

Takes operator and passenger comfort to another level with a vented glass windshield, two-speed windshield wiper and an interior dome light. Two-door kits are also available.





### **BOSS® PLOW\***

Heavy-duty front mounted plow designed to clear snow even in harsh winter conditions.



### **SYNTHETIC TURF CONDITIONER**

Loosens infill from compacted fields, and evenly redistributes and levels the playing surface.



### **VICON® SPREADER\***

Pendulum action evenly spreads sand, fertilizer, seed and other dry materials. Volume 1/2 cubic yard (400 litres).



### **ROPS SIGNAL LIGHT KIT**

Protects operators with double amber warning lights and two single red taillights.



### **RAHN® GROOMER\***

The triple row broom is perfect for leveling uneven playing fields, with a 2-way system that provides a lock and float position to match conditions. Also useful for dethatching.



### **CANOPY AND FOLDING WINDSHIELD**

Durable, high-density polyethylene canopy protects operators and passengers from sun and rain. Easy folding acrylic windshield allows airflow to enhance comfort.



### **4-POST ROPS**

Consists of four vertical posts connected together by top members to protect operator from injury in case of roll over.

*\*Trademarks are property of respective owners.*

## KEY ACCESSORIES



### » TOPDRESSER 1800/2500

18 or 25 cubic foot (510 or 708 litre) capacity topdressers that will ensure consistent application rates on even and uneven terrain.



### » PROCORE® PROCESSOR

Sweeps, processes, and disperses aeration cores in one, quick operation. Designed for large turf areas, 70" (178 cm) processing width.



### » PRO FORCE® BLOWER

Unmatched air power will allow you to blow away grass clippings, leaves, aerations, cores, sand, gravel, trash or other debris with ease.



### » PRO SWEEP®

Towed, two wheel sweeper with a 25 cubic foot (698 litre) high dump hopper capable of dumping into the bed of Workman HD series vehicles.

## WORKMAN® HDX AUTO SPECIFICATIONS

### WORKMAN® HD SERIES

MODEL	HDX AUTO	HDX, HDX-4WD	HDX-D, HDX-D-4WD	HD
ENGINE	Kohler® LH775 EFI	Kubota® 972 EFI	Kubota 902D	Kohler CH23
RATING	28 hp (20.9 kW)	32.5 hp (24.2 kW)	23 hp (17.2 kW)	23 hp (17.2 kW)
DISPLACEMENT	747 cc	962 cc	902 cc	674 cc
FUEL	Petrol	Petrol	Diesel	Petrol
COOLING	Liquid	Liquid	Liquid	Air
MAXIMUM SPEED	20 mph (32 km/h)	20 mph (32 km/h)	20 mph (32 km/h)	20 mph (32 km/h)
TOTAL CAPACITY	HDX Auto 2WD: 3,295 lbs. (1,498 kg) HDX Auto 4WD: 3,265 lbs. (1,484 kg)	HDX: 3,249 lbs. (1,473 kg) HDX-4WD: 3,190 lbs. (1,447 kg)	HDX-D: 3,244 lbs. (1,472 kg) HDX-D-4WD: 3,185 lbs. (1,445 kg)	3,351 lbs. (1,520 kg)
CARGO BED CAPACITY <i>WITH TWO 200 lbs. (91 KG.) PASSENGERS</i>	HDX Auto 2WD: 2,895 lbs. (1,316 kg) HDX Auto 4WD: 2,865 lbs. (1,303 kg)	HDX: 2,849 lbs. (1,292 kg) HDX-4WD: 2,790 lbs. (1,266 kg)	HDX: 2,844 lbs. (1,290 kg) HDX-D-4WD: 2,785 lbs. (1,263 kg)	2,951 lbs. (1,338 kg)
TOW HITCH	600 lbs. (272 kg) tongue weight 3,500 lbs. (1,587 kg) trailer weight	600 lbs. (272 kg) tongue weight 3,500 lbs. (1,587 kg) trailer weight	600 lbs. (272 kg) tongue weight 3,500 lbs. (1,587 kg) trailer weight	600 lbs. (272 kg) tongue weight 3,500 lbs. (1,587 kg) trailer weight
BED DIMENSIONS	Length: 127.6 in. (324 cm) without bed; 130 in. (330 cm) with bed Width: 64.7 in. (164.3 cm) Height: 75.8 in. (192.5 cm) to top of ROPS			
4WD MODELS	Fully automatic on-demand, bi-directional system. Uses dual bi-directional clutches. In event of rear tyre slippage, clutches transmit power proportionally to front wheel with highest traction.			
CERTIFICATIONS	Certified to meet SAE J2258. Certified to meet ISO/DIS 21299 for ROPS. Engine meets all applicable emissions standards per the manufacturer. Certified to meet the CE Machinery Directive.			
WARRANTY	Two-year limited warranty. See Operator's Manual for further details.			

For complete specifications, visit [Toro.com](http://Toro.com). Specifications subject to change.

LEARN  
MORE **TORO.COM** FIND COMPLETE SPECIFICATIONS, PRODUCT  
VIDEOS AND MUCH MORE AT



## WHEN WE SAY **COUNT ON IT**, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business. We also stand behind our products with a global network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

**Smart Features. Proven Dependability.**



**Count on it.**



toro.com  
Worldwide Headquarters  
The Toro Company  
8111 Lyndale Ave. So.  
Bloomington, MN 55420 U.S.A.  
Phone: (1) 952 888 8801  
Fax: (1) 952 887 8258

©2017 The Toro Company.  
All Rights Reserved.  
Printed in the USA

200-xxxx

*Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.*



facebook.com  
twitter.com/TheToroCompany  
youtube.com/ToroCompanyEurope

